


ercol

ENGLAND SINCE 1920

2202 BALLATTA DESK



Thank you for purchasing this Ballatta desk. Please ensure instructions are read in full before attempting to assemble product.

WARNING:

IN ORDER TO PREVENT OVERTURNING, THIS PRODUCT MUST BE USED WITH THE WALL ATTACHMENT DEVICE PROVIDED.

Installation should be carried out exactly according to the manufacturers instructions, otherwise a safety risk can occur if incorrectly installed. Cabinets and shelving over 600mm high can be unstable and should be supported until fixed to the wall.

This product is heavy, it should be assembled as near as possible to the point of use. Take care when lifting to avoid personal injury and (or) damage to the product.

The fittings pack contains small items which should be **KEPT AWAY FROM YOUNG CHILDREN.**


Read this leaflet in full before commencing assembly.

Please check the pack contents before attempting to assemble this product. A full checklist of components is given in this leaflet. If any components are missing, please contact the retailer from whom you bought this product.

Pre-assembly preparation



Items you will need




This is a two person operation

Parts checklist

1	1 x top panel	68mm x 600mm x 1100mm
2	1 x R/H side frame	31mm x 600mm x 730mm
3	1 x L/H side frame	31mm x 600mm x 730mm
4	2 x rail	25mm x 62mm x 948mm
5	1 x drawer	105mm x 330mm x 519mm


Fitting checklist

A	4 x cam head	
B	4 x grub screw	
C	4 x cam rod	
D	4 x allen head bolt (chrome - 6mm x 30mm)	
E	4 x allen head bolt (chrome - 6mm x 70mm)	
F	4 x wooden dowel (10mm x 35mm)	
G	1 x allen key (M.4)	
H	2 x screw (chrome - 3,5mm x 16mm)	
i	4 x washer	
J	2 x textile strap	
K	1 x wedge	




Step by step assembly instructions



1. Place 4x cam heads (A) and 4x wooden dowels (F) into the holes of each rail (4). Use a soft hammer to insert the dowels (F) as shown below





2. Lay down the side frames (2 and 3) on a smooth surface. Fix 4x cam rods (C) by using a screwdriver.




3. Place the rails (4) on side frame (2). Put 2x grub screws (B) into cam heads (A) and tighten them by using a screwdriver:



4. With the aid of an assistant, carefully attach the LH side frame (3) to the rails (4) by using 2x grub screws (B).




5. Place the top panel upside-down and with the aid of an assistant, carefully locate the leg frames onto the top panel (1) as shown below. Fix it with 8x allen head bolts (D and E) by using the allen key (G).






Locate all 8 connecting bolts before tightening!

6. Place the drawer (5) into the unit as shown below. Note that there is a plastic stop located under the top panel to hold the drawer in its location. Before inserting the drawer, the stop should be turned to face the rear of the unit & before removing the drawer, turn the stop to face to front.



7. If the desk is not level on your floor use the wedge (K) provided, and snap it off so that it does not protrude out from the cabinet's leg, you can also snap it lengthways if desired.



Wall Fixing Instructions

1 Fix the textile straps (J) to the back of the product (under the top panel) using the screws (H) and the washers (i).

Place your product in the final position. Mark the wall with a pencil where the hole will be drilled.


Check for hidden gas and water pipes and/or electrical wiring. Drill holes and fit an appropriate wall plug (not supplied) for your wall type (see page 8).

2 Screw the straps (J) to the wall. Choose an appropriate screw to secure. If in any doubt please



Warning

Serious or fatal crushing injuries can occur from furniture tipping over. To prevent this furniture tipping over it must be permanently fixed to the wall.





Warning

Serious or fatal crushing injuries can occur from furniture tipping over. To prevent this furniture from tipping over it must be permanently fixed to the wall.


Wall fixing screws are not included, since different wall materials require different types of screws / fixings. Please ensure you use the correct screws / fixings for your type of walls and seek professional advice if you are not sure.

Failure of the product due to incorrect fixings is the responsibility of the installer.

Important: When drilling into the walls always check that there are no hidden wires or pipes etc.


Types of walls

You can use one of the following types of wall plug if your walls are made of brick, breezeblock, concrete, stone or wood.




1. General Purpose wall plug

Generally aerated blocks should not be used to support heavy loads, use a specialist fitting in this case. For light loads, general - purpose wall plugs can be used.




2. Plasterboard wall plug

For use when attaching light loads on to plasterboard partitions.




3. Cavity Fixing wall plug

For use with plasterboard partitions or hollow wooden doors.




4. Cavity Fixing - Heavy Duty wall plug

For use when fitting or supporting heavy loads such as shelving, wall cabinets and coat racks.



5. Hammer Fixing wall plug

For use with walls stuck with plasterboard. The hammer fixing allows it to be fixed to the wall rather than the plasterboard. Always check the fixing is secure to the retaining wall.



6. Shield Anchor wall plug - Heavy loads

For use with heavier loads such as TV and Hi-Fi speakers and satellite dishes etc.



Safety: Periodically check all fittings and wall fixings to ensure they have not come loose and retighten as necessary.

Care and maintenance

Wood Furniture

Wood displays different grain patterns depending on which way it is cut - for example, the 'medullary ray' which can appear on oak furniture is a mark of good quality timber - these are just characteristics of the natural beauty of the wood. Some furniture is also deliberately aged and rustic.

All timber surfaces will change colour and mellow over time. New furniture will initially vary in shade from items that have been previously purchased.

How to care for your wood furniture

Furniture with hard lacquer, wax polish or painted surface should be dusted with a dry cloth. When using the surface for serving food and drinks it is best to use protective mats and coasters. Spillages should be wiped up as soon as possible.

Spray polishes are best avoided as they contain silicones which may spoil the furniture's surface by building up over time. Use of cleaning materials containing abrasive compounds, acidic or caustic reagents and any bleaches containing oxidising reagents should be avoided as prolonged use may damage the lacquer surface. Wipe up spills immediately. If sticky marks occur on the surface they can be removed with a dilute solution of warm soapy water. The offending area should be rubbed lightly and then completely dried immediately afterwards, before replacing any mats etc.

Our furniture will endure most temperatures in the home but it is best to avoid placing furniture next to heat sources such as radiators or fires. Be particularly careful with solid wood as the lack of humidity caused by central heating can cause damage such as warping.

Safety Instructions

Never drag furniture when moving it, always lift it. Please take care when handling or moving the furniture as careless handling may cause damage or injury. No liability will be accepted for damage or injury caused by incorrectly installed furniture.

PLEASE KEEP THESE INSTRUCTIONS FOR FUTURE REFERENCE